EN

Tillers

RK

SICMA®

RK

150 ► 280 HP | 3700 ►4700 | Max 270 | Very heavy

The RK is a highly professional, very heavy, fixed, foldable tiller for tractors with high power up to 280 HP. Its robustness and the high quality of its components allow it to perform very intense and long-lasting open-field work. Available with a rotor with hoes or blades.





PTO shaft (eurocardan)
size 10

POLYESTER POWDER COATING

cat. 3°

SICMA transmission unit equipped with gears made of heat-treated alloy steel. 4-speed gearbox.

1-speed gearbox 1000 rpm

SICMA transmission in oil bath with 4 stages, with cast iron housing for increased rigidity and durability of the side gear train, at low operating temperature.

OPTIONAL



Pair of conveying discs

They are mounted in front of the rotary tiller, close to the side skids; the discs open a furrow in the ground thus facilitating greater working depth



Pair of fixed track eradicators

TECHNICAL DATA

Reducer speed:

1000 rpm

18 - 20	278 rpm
19 - 19	310 rpm
20 - 18	344 rpm

Models and Features:

	HP	mm (in)	mm (in)	mm (in)	mm (in)	PACKER ROLLER kg (lbs)	SPIRAL ROLLER kg (lbs)	SPIKE ROLLER kg (lbs)	CAGE ROLLER kg (lbs)	
RK 370	150 ▶ 280	3700 (157")	4070 (160")	2710 (107")	2260 (89")	2710 (5975)	2620 (5776)	2590 (5710)	2550 (5622)	84
RK 420	150 ▶ 280	4200 (165")	4570 (180")	2710 (107")	2510 (99")	2930 (6460)	2830 (6239)	2780 (6129)	2700 (5952)	96
RK 470	150 ▶ 280	4700 (185")	5070 (200")	2710 (107")	2760 (109")	3170 (6989)	3080 (6790)	3030 (6680)	2970 (6547)	108

SICMA S.p.a. reserves the right to carry out technical and structural modifications without prior notice.

The experience that cultivates the future of your land

SICMA S.p.a. is an Italian company and a leader in the professional agricultural machinery sector. We design and create cutting-edge solutions for you, the farmer of tomorrow. Innovation and passion at your service.

SICMA®

Sicma SpA
Contrada Cerreto, 39
66010 Miglianico (CH)
Tel. +39 0871 95841
info@sicma.it - www.sicma.it